

Printing date 12/14/2023 Reviewed on 12/14/2023

1 Identification

· Product identifier: 1K MB MIX, 528-05-105, 528-05-155

Trade name: KEMPERTEC® 1K AQUA MB BASE

· Item number(s): 1K MB MIX, 528-05-105, 528-05-155

· SDS Number: 564

Uses advised against COATING

· Manufacturer/Supplier:

USA ADDRESS:

KEMPER SYSTEM AMERICA, INC. 1200 NORTH AMERICA DR,

WEST SENECA, NY 14224

PH (716) 558-2971

CANADIAN ADDRESS:

ASTARAS CANADA, INC.

4-7075 EDWARDS BLVD

MISSISSAUGA, ONTARIO, L5S 1Z2

PH (905) 624-5463

· Information department:

Tel: (716) 712-9931 www.kempersystem.net

Emergency telephone number:

ChemTrec (800) 424-9300 / 1-(703)-741-5970

Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard identification

· Classification of the substance or mixture:



Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Signal word: Warning

· Hazard-determining components of labeling:

2-octyl-2H-isothiazol-3-one

2-methyl-2H-isothiazol-3-one

· Hazard statements:

H317 May cause an allergic skin reaction.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)

Printing date 12/14/2023 Reviewed on 12/14/2023

Trade name: KEMPERTEC® 1K AQUA MB BASE

(Contd. of page 1)

- Information pertaining to particular dangers for man and environment:
- NFPA ratings (scale 0 4):



3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
1317-65-3	calcium carbonate	15-40% w/w *	
13463-67-7	Titanium Dioxide	5-10% w/w *	
	Propylene Glycol	0.5-1.5% w/w *	
14808-60-7	Quartz (SiO2)	0.1-1% w/w *	
26530-20-1	2-octyl-2H-isothiazol-3-one	≥0.0015-<0.1% w/w *	
2682-20-4	2-methyl-2H-isothiazol-3-one	≥0.0015-<0.1% w/w *	

^{*} Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

· After inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor if you feel unwell or are experiencing respiratory symptoms.

· After skin contact:

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or a rash occurs: Get medical advice/attention.

· After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

- · After swallowing: Call a poison center/doctor if you feel unwell. Rinse mouth.
- Most important symptoms and effects, both acute and delayed:

No further relevant information available.

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-fighting measures

- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture:

Carbon monoxide (CO)

Nitrogen oxides (NOx)

· Protective equipment: Wear self-contained respiratory protective device.

CA ·

Printing date 12/14/2023 Reviewed on 12/14/2023

Trade name: KEMPERTEC® 1K AQUA MB BASE

(Contd. of page 2)

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective clothing.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling: No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s): No further relevant information available.

8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data: see section 7.

Additional information about design of technical systems. No further data, see section 7.			
Components with limit values that require monitoring at the workplace:			
1317-65-3 calcium carbonate			
EL (Canada)	STEL: 20* mg/m³ TWA: 10* 3** mg/m³ *total dust;**respirable fraction		
57-55-6 Prop	57-55-6 Propylene Glycol		
EV (Canada)	TWA: 155* 10** mg/m³, 50* ppm *vapour and aerosol;**aerosol only		
WEEL (USA)	TWA: 10 mg/m³		
14808-60-7 C	14808-60-7 Quartz (SiO2)		
EL (Canada)	TWA: 0.025 mg/m³ ACGIH A2; IARC 1		
EV (Canada)	TWA: 0.10* mg/m³ *respirable fraction		
PEL (USA)	TWA: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2		
	(Contd. on page 4)		

(Contd. on page 4)

Printing date 12/14/2023 Reviewed on 12/14/2023

Trade name: KEMPERTEC® 1K AQUA MB BASE

REL (USA) TWA: 0.05* mg/m³

*respirable dust; See Pocket Guide App. A

TLV (USA) TWA: 0.025* mg/m³

*respirable particulate matter, A2

- Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- · Material of gloves: Nitrile
- · Eye protection: Goggles recommended during refilling.

Physical and chemical prope	erties
Form:	Liquid
Color:	Light blue
Odor: Odor threshold:	Characteristic Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C:	23 hPa
Density at 20 °C:	1.4 g/cm³
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	No. 1 de la companya
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC content:	3 g/l

Printing date 12/14/2023 Reviewed on 12/14/2023

Trade name: KEMPERTEC® 1K AQUA MB BASE

(Contd. of page 4)

Other information

No further relevant information available.

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects:
- Acute toxicity

· LD/LC50 values that are relevant for classification:			
13463-67-7 Titanium Dioxide			
Oral	LD50	>20,000 mg/kg (rat)	
Dermal	LD50	>10,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>6.82 mg/l (rat)	

- Specific symptoms in biological assay: No further relevant information available.
- · Primary irritant effect
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- Carcinogenic categories

Carcinoger	ic categories	
· IARC (Inter	national Agency for Research on Cancer)	
13463-67-7	Titanium Dioxide	2B
14808-60-7	Quartz (SiO2)	1
111-76-2	2-butoxyethanol	3
· NTP (Natio	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information
- General notes:

Harmful to aquatic organisms

(Contd. on page 6)

Printing date 12/14/2023 Reviewed on 12/14/2023

Trade name: KEMPERTEC® 1K AQUA MB BASE

(Contd. of page 5)

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Other adverse effects: No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings
- · Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· <u>UN-Number</u> · DOT/TDG, ADR, IMDG, IATA	Not regulated
· UN proper shipping name · DOT/TDG, ADR, IMDG, IATA	Not regulated
· Transport hazard class(es)	
· DOT/TDG, ADR, ADN, IMDG, IATA · Class	Not regulated
· Packing group · DOT/TDG, ADR, IMDG, IATA	Not regulated
· Environmental hazards:	Not applicable.
Special precautions for user:	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code:	II of Not applicable.
· UN "Model Regulation":	Not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture. No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

1336-21-6 ammonia 330-54-1 diuron(ISO)

(Contd. on page 7)

Reviewed on 12/14/2023 Printing date 12/14/2023

Trade name: KEMPERTEC® 1K AQUA MB BASE

(Contd. of page 6)

55406-53-6 3-lodo-2-propynylbutylcarbamate

111-76-2 2-butoxyethanol

TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

Proposition 65

· Chemicals known to cause cancer:

14808-60-7 Quartz (SiO2) 330-54-1 diuron(ISO)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Canadian substance listings

Canadian Domestic Substances List (DSL/NDSL):

All ingredients are listed.

Canadian Non-Domestic Substances List (NDSL)

1317-65-3 calcium carbonate

Canadian Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%):

57-55-6 Propylene Glycol

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard-determining components of labeling:

2-octyl-2H-isothiazol-3-one 2-methyl-2H-isothiazol-3-one

· Hazard statements

H317 May cause an allergic skin reaction.

16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements, Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied,

(Contd. on page 8)

Printing date 12/14/2023 Reviewed on 12/14/2023

Trade name: KEMPERTEC® 1K AQUA MB BASE

(Contd. of page 7)

are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

· Department issuing SDS: Product safety department

· Contact: Stephen Nowicki

Date of the latest revision of the safety data sheet 12/14/2023

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent